

TRANSMITTAL SLIP		DATE
TO:		
ROOM NO.	BUILDING	
REMARKS: <i>CAUTION - SECRET ATTACHMENT TO DDA copy ONLY</i>		
FROM:		
ROOM NO.	BUILDING	EXTENSION

Declassified in Part - Sanitized Copy Approved for Release 2011/12/19 : CIA-RDP88G01332R000800930005-7

FORM NO. 1 FEB 56 241 REPLACES FORM 36-8 WHICH MAY BE USED. (47)

21 NOV 1986

MEMORANDUM FOR: Director, National Photographic Interpretation Center

VIA: Deputy Director for Administration
Deputy Director for Science and Technology

FROM: John M. Ray
Director of Logistics

SUBJECT: NPIC Facility Expansion Requirements

1. We understand that the National Photographic Interpretation Center (NPIC) will require additional space in the future. Our planning calls for NPIC to expand into Office of Imagery Analysis (OIA) space upon that office's relocation to the Headquarters compound. The relocation of OIA is scheduled for March 1989. OL recently briefed the DDI and secured his support for the timing of the OIA relocation. Factors dictating the March 1989 move date include the availability of acceptable space at Headquarters, the delivery of new OIA systems, and the need to avoid costly double moves of OIA personnel and equipment.


STAT 2. If the NPIC requirement for space is immediate and cannot wait until March 1989, it will be necessary to look for space external [redacted] to satisfy NPIC requirements. So that proper planning and selection of space can begin, OL needs a clear understanding of the NPIC facility expansion requirements. Please provide information on the amount, preferred location, type and use of the space required and when it will be needed.

STAT 3. OL will keep you informed of any changes in the facility planning relating to OIA occupancy at Headquarters and would appreciate obtaining similar information from NPIC regarding future plans [redacted]

STAT

John M. Ray

OL 10238-86



45-17

ADMINISTRATIVE - INTERNAL USE ONLY

SUBJECT: NPIC Facility Expansion Requirements

STAT OL/FMD (20NOV86)

Distribution:

Orig - Addressee

1 - DDI

1 - DD/S&T

2 - DDA

1 - OL Files

1 - FMD Official

1 - FMD Chrono

Page Denied

Next 1 Page(s) In Document Denied

ROUTING AND TRANSMITTAL SLIP**Date**

20 Nov 86

TO: (Name, office symbol, room number, building, Agency/Post)		Initials	Date
1. DD/OL, <input type="text"/>			
2. <input type="text"/>			
3. <input type="text"/>			
4. <input type="text"/>			
5. <input type="text"/>			
Action	File	Note and Return	
Approval	For Clearance	Per Conversation	
As Requested	For Correction	Prepare Reply	
Circulate	For Your Information	See Me	
Comment	Investigate	Signature	
Coordination	Justify		

REMARKS

Here's the memo we discussed this morning.
 Please prepare a response to NPIC via the DDA.
 (Suspense: 5 December 1986). Thanks.

Attachment:
 DDS&T-765-86

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

FROM: (Name, org. symbol, Agency/Post)**Room No.—Bldg.**
7D18 HQS

EXA/DDA

5041-102

OPTIONAL FORM

76)

* U.S.G.P.O.: 1983 - 421-529/320

Prescribed by GSA
FPMR (41 CFR) 101-11.205

DDS&T-765-86

19 NOV 1986

MEMORANDUM FOR: Deputy Director for Administration

FROM:

Executive Director

SUBJECT:

Additional Office Space for NPIC and OIA

1. Because of the recently announced slippage in the occupancy date of the new Headquarters Building, a new plan is required for housing the National Photographic Interpretation Center (NPIC) and the Office of Imagery Analysis (OIA) during the 1987-1989 period. The new plan is necessary in order for both NPIC and OIA to accommodate their planned growth and be prepared to handle the future increases in imagery collection. The growth at NPIC had been planned to coincide with OIA's departure in 1987. In addition, OIA was moving into spaces in the Headquarters Building that accommodated their growth. Without the space to house the necessary personnel and equipment growth, neither NPIC nor OIA would be able to perform their national or departmental intelligence missions.

2. I request that you direct a study of options to resolve this problem. A number of potential solutions become available with the planned move of most of the Office of Development and Engineering in early 1987. Several of these are:

Option 1: OIA move to Building. Following this temporary relocation, OIA would move to the old Headquarters Building when it is ready for occupancy. OIA will require approximately 50,000 square feet of space.

Option 2: OIA move to the old Headquarters Building in the spaces that they will eventually occupy and the component(s) in that space move to temporarily.

Option 3: NPIC move some component(s) to temporarily.

3. If any additional options for solving this problem become apparent, they should also be considered with each component supplying the trade-off considerations. I request that a presentation on the options be made available to the Configuration Management Board by mid-December 1986.

~~SECRET~~